GRAFLEX

PRIZE-WINNING CAMERAS

SERVICE PARTS

CONFIDENTIAL

TRADE PRICE CATALOG

★

GRAFLEX, INC.
ROCHESTER 8, N. Y., U. S. A.

GRAFLEX SERVICE DEPARTMENTS

These Departments are staffed with factory-trained workmen and equipped with proper facilities to service under warranty, adjust or repair all Graflex-made merchandise. They are all similarly qualified to handle the servicing of all SR electronic flash products.

Much time will be saved if equipment is shipped by Special Delivery.

Be sure to supply complete instructions.

If unit comes within warranty period, supply owner's name and date of purchase.

Quotation estimate will be mailed promptly upon receipt and inspection of equipment. Return this promptly for speedy servicing of unit. (No quotation on SR equipment will be made unless requested.)

SHIP TO NEAREST ADDRESS

Graflex, Inc.
89 Allen St.
Rochester 6, N. Y.

Graflex, Inc.
320 W. Ohio St.
Chicago 10, Ill.

Graflex, Inc.
50 Rockefeller Plaza
Suite 922
New York 20, N. Y.

Graflex, Inc.
800 N. Cole Ave.
P. O. Box 38606
Hollywood 38, Calif.

DEALER'S PRICE LIST

OF

GRAPHIC® and GRAFLEX®

Cameras and Photographic Accessories

including

GRAFLITE,® GRAFLASH® and STROB®

Except where otherwise indicated, all goods herein listed are supplied by and shipped from

GRAFLEX, Inc.

Main Offices and Factories

154 Clarissa Street

ROCHESTER 8, NEW YORK

OR FROM THE

Western Division
800 North Cole Avenue
HOLLYWOOD 38, CALIFORNIA

Midwestern Division
320 West Ohio Street
CHICAGO 10, ILLINOIS

•

All prices and conditions of shipment subject to change without notice.

•

GRAFLEX, Inc.

ROCHESTER 8, N. Y., U. S. A.

PRINTED IN U.S.A.

TERMS

The net prices stated herein apply only to Authorized Dealers in GRAFLEX*-made equipment, and are F.O.B., our plant or division at place of shipment unless otherwise indicated.

CASH DISCOUNT: An allowance of 2% cash discount will be made for payment of invoices on or before the tenth of the following month.

NET TERMS: If remittances are not received within the cash discount period, full payment is due thirty days from the end of the month of the invoice date.

Invoices dated the last two business days of a month, excluding Saturdays, are considered a part of the following month's billings.

QUANTITY DISCOUNTS: Quantity prices, applicable to Dealer purchases of Super D GRAFLEX* Cameras with lenses, Century*, Crown* and Speed GRAPHIC* Cameras with lenses, 4x5 GRAPHIC View II Cameras, GRAFLEX "22" Cameras, GRAPHIC 35 Cameras, Stereo GRAPHIC Cameras, and certain other products, are as indicated in the quantity net price listings on the applicable pages of the current GRAFLEX Confidential Price List. Quantity prices are subject to the following:

(1) The indicated minimum quantity must be ordered at one time for shipment at one time to a single destination;

(2) The minimum quantity of cameras (to which the quantity prices are applicable) may be made up of an assortment of said cameras; but on the other indicated products, the quantity price will apply, unless otherwise indicated, only to the particular product, or model of a product, ordered in at least the minimum quantity indicated therefor; and

(3) Quantity prices are contingent upon the availability of at least the minimum quantity at the time of receipt of the order.

Direct shipments to Dealers' customers cannot be undertaken.

FEDERAL EXCISE TAXES: The Federal Excise Taxes, specifically imposed on the sale by the manufacturer of a photographic product subject thereto, are where applicable included in the net and list prices herein set forth. Exemptions therefrom, where applicable, may be obtained upon compliance with appropriate governmental regulations.

FEDERAL, STATE AND LOCAL TAXES: Except for the Federal Excise Taxes hereinbefore mentioned, the prices contained herein do not include any sales or use taxes or any other taxes measured by sales imposed by the Federal, or any state, county or municipal government or subdivisions thereof. Where applicable to our sale, such taxes will be payable by Dealer.

FAIR TRADE AGREEMENT: The retail sale of certain of the products herein listed is subject to the provisions of the Graflex Dealer Fair Trade Agreement in all jurisdictions permitting the same in accordance with applicable law.

We reserve the right at any time or times without notice to discontinue shipment to any of our customers, and to revoke or change any of the prices, discounts, classifications or other terms upon which sales are made, conditional upon any legal restrictions affecting the same. We also reserve the right to allocate the distribution of our products as may seem wise and equitable in our judgment. No adjustments will be made because of price changes. No order accepted by us may be assigned in whole or in part without our prior written consent.

All orders whether in response to quotation or otherwise, are subject to acceptance at our Principal Office, Rochester 8, New York, or Divisional Offices, Chicago 10, Illinois, Hollywood 38, California, and their execution and/or delivery is contingent upon, and subject to cancellation by us by reason of, acts of God, acts, laws, regulations, orders, restrictions and/or prohibitions of the Government, new, different or increased sales, use or excise taxes, epidemics, quarantine restrictions, fires, floods, unusual weather conditions, strikes, differences with or shortages of workmen whether general or partial, accidents to machinery, consequences of foreign or domestic wars, hostilities or riots, delays or difficulties in transportation, embargoes, car shortages, our inability to secure raw materials, parts, components, packing materials, essential supplies, fuel, steam, water or electric power or light, or any other accidents or causes beyond our control, all wherever arising including without being limited to any of our plants or any plant from which we obtain or purchase components, parts or raw materials.

We assume no responsibility for any damage or loss in transit. Claims for shortages in packing must be made within two (2) days after receipt of shipment. Claims for defective material or workmanship or for any cause allowed by us, must be made within fifteen (15) days from date of shipment. Defective material or workmanship will be replaced, repaired or credited at our option, but no claim for damage of any character resulting from use of the product, materials or work will be allowed. No order may be assigned in whole or in part without our prior written consent.

GRAFLEX, Inc.
ROCHESTER 8, N. Y., U. S. A.

*TRADEMARKS REG. U. S. PAT. OFF.

INDEX

	Page No.
Backs, camera	23
Batteries, for Teleflash, Stroboflash I, II, III	13
Capacitors (soldered fittings)	13
Cam Schedule, Graphic Rangefinder	5
Dividing Backs	21
Ektalite lenses	S-3
Flashtube (G-E, Kemlite)	13
Focusing panels	23
Focusing scales	S-2
Fusetron (for Stroboflash and Multistrob)	13
Graflash	7
Graflex Flash	11
Graflite Flash	7&9
"Graphic-Graflex Photography" book	21
Lensboards, Anniversary, Pre-Anniversary, Graflex	25
Lensboards, Pacemaker and Century	17
Lenses	15
Masks, Lens	14
Modeling lights	13
Negative Identifiers	21
Neon Pilot Lamp	13
Photography with the Graflex "22", book	21
Phototube	13
Rangefinders	5
Rectifier (selenium, tube)	13
Septums, Grafmatic holder	21
Shutter data	14
Slides	19
Slo Blo fuse	13
Spring Kits	23
Strob X Developer and Fixer	13
Telltale Indicator Lamp	13
Trigger tube	13
Viewfinders	15
Viewing hoods	23

RANGEFINDERS and ACCESSORIES

Kalart Rangefinder



Kalart Focuscope
3155

Kalart Focuspot
3173



GRAPHIC Rangefinder



GRAPHIC Rangescope
3055



3C11

NOTE 1: The accuracy of the Graphic Rangefinder is afforded in part by the fact that cams are individually tailor-made to exactly match the exact focal length of the lens. Each cam is then coded to permit subsequent identification. In the event a cam is lost or stolen and requires replacement, if the owner has kept a record of the focal length and identification code numbers which appear on each, replacements can be supplied promptly on order.

NOTE 2: When a Graphic "45" is ordered complete with more than one factory-supplied and fitted lens, as indicated above, the cam for the first lens is included in the price of the rangefinder.

RANGEFINDERS AND ACCESSORIES FOR GRAPHIC CAMERAS

GRAPHIC RANGEFINDER

Cat. No.		Net Price 3 or More	Net Price 1-2	List Price
3002	Graphic Rangefinder with Rangelite and parallax correcting viewfinder installed on 1955 Pacemaker Graphic "45", (Speed and Crown) (see page 24 for listing of cameras and lenses with Rangefinders fitted)	$22.77	$24.67	$37.95

CAMS FOR GRAPHIC RANGEFINDER

The installed price of the Graphic Rangefinder INCLUDES the cam required by the basic or initial lens fitted thereto, provided that lens is presently listed by Graflex or proves to be of like focal length.

Replacement Cams

(Note 1, see Page 32)

3011	Cams for Accessory Lenses Listed and Supplied by Graflex, each		$1.50	$2.00

(Note 2, see Page 32)

Dealer-Customer Lenses:

When lenses are sent in for fitting to Graphic Rangefinder-equipped cameras or for the purpose of obtaining a matching cam, the following will apply:

Cat. No.				
9473	Service Charge for optically measuring exact focal length		$2.00	$2.00
3012	Cam for any lens in Graflex Price Catalog		1.50	2.00
3013	Cams for non-Graflex listed lenses with focal lengths of 90mm and from 127mm to 126mm inclusive		1.50	2.00
	NOTE: When dealer-customer lens within limits of above local lengths is installed as the basic lens, on new camera with Graphic Rangefinder, no charge for cam will be made, but additional owner lenses for the same camera for which cams are ordered will be subject to the cam charge. Service Charge 9473 applicable in either case.			
3014	Cams for non-Graflex listed lenses of focal lengths other than those included in listing 3013 above, and falling within the range of 88mm to 380mm (15"): (Charge represents *additional* cost for producing such special order cam.)		$6.00	$8.00

Accessories

3055	Graphic Rangescope (1.5x power) for Graphic Rangefinder	1.77	1.92	2.95
3060	Wide Angle Viewfinder Adapter	2.97	3.22	4.95

KALART RANGEFINDERS

Factory fitted as original equipment on Century or Pacemaker Graphic "23"

Cat. No.		Net Price	List Price
3103	E-6X for 101 to 105mm lenses on Pacemaker "23" Graphics	$21.75	$36.25
3101	E-6C for 101 to 105mm lenses on Century Graphics	21.75	36.25
3173	Kalart Focuspot Model G for Graflite Battery Case with Cord, installed	6.75	10.95
2754	Flat Battery Case Mounting Plate, for cameras with rangefinder, installed	.63	1.05
	RANGEFINDERS Supplied Separately for GRAPHICs. Orders must specify model, Pre-Anniversary, Anniversary, Pacemaker or Century GRAPHIC to which Rangefinder is to be fitted.		

Kalart E-6 Rangefinders, separately

3104	E-6X with connecting arm for 2¼x3¼ Miniature Speed Graphic	17.97	29.95
3105	E-6X with connecting arm for Pacemaker "23"	17.97	29.95
3102	E-6C with connecting arm for Century	17.97	29.95
3106	E-6A with connecting arm for 127—135mm lenses	17.97	29.95
3107	E-6A with connecting arm for 6" (152mm) - 6½" lenses	17.97	29.95
3108	E-6A with connecting arm for 8" (203mm) - 8½" lenses	17.97	29.95

Installation

9466	Installation and synchronization of Kalart Rangefinders on Miniatures, Anniversary, Pacemaker and Century Graphics	3.00	3.00

Accessories for Kalart Rangefinder

3170	Model A-1 Focuspot for use with Graflex Synchronizer, with cord	5.97	9.95
3173	Kalart Focuspot Model G for Graflite Battery Case, with cord	5.97	9.95
3152	Connecting Cord for Focuspot for Graflex Synchronizer	.96	1.60
3153	Connecting Cord for Focuspot for Graflite	.96	1.60
3155	Kalart Focuscope (Magnifying Eye Tube) for Models K and E Rangefinders	1.77	2.95

HUGO MEYER RANGEFINDERS

Hugo Meyer Series P Rangefinder, separately

3315	For 125 to 135mm focal length lenses on Pacemaker "34"	19.00	28.50
3316	For 125 to 135mm focal length lenses on Pacemaker "45"	19.00	28.50
3317	For 150mm focal length lenses on Pacemaker "45"	19.00	28.50

Installation

9470	Installation and synchronization on Pacemaker "34" or "45"	3.00	3.00

Accessories for Hugo Meyer Rangefinders

3370	Focalite for use with Graflex Synchronizer, with cord	6.85	10.25
3373	Focalite for Series P Rangefinder and Graflite Battery Case, with cord	6.85	10.25
3352	Connecting Cord for Focalite for Graflex Synchronizer	1.60	2.40
3353	Connecting Cord for Focalite for Graflite	1.60	2.40



#8048
Graflash B-C

#8045
Graflash PL

#8047
M-2 Graflash BC



#8050 Universal
Graflash B-C

Graflite Jr. with #2760
Also #2757 and #2771



GRAFLITE MOUNTS FOR NON-GRAFLEX MADE CAMERAS
HAVING BUILT-IN SYNCHRONIZATION

CAMERA	MOUNT	CORD
Ansco	*	2708
Argoflex E, F, 21 and C-4	*	2713
Argus C-3	2758	2716
Ciro-flex	2759	2708
Kodak	*	2708
Land Polaroid No. 95	2758	2708
Land Polaroid No. 110	2758	2701
Rolleiflex	2759	2721
Rolleicord	2759	2721
Stereo Realist	2758	2722
Prontor II Shutter	*	2714
Pronter S and Compur	*	2721

* Use either 2758 for Miniature Cameras or 2759 for Reflex Models.

GRAFLITE MOUNTS FOR GRAFLEX-MADE CAMERAS
HAVING BUILT-IN SYNCHRONIZATION

CAMERA	MOUNTING BRACKET with K. or M. Rangefinder	MOUNTING BRACKET Without Rangefinder	Connecting Cord
Century	2754	2756	2701*
Pacemaker "23"	2754	2755	2701
Pacemaker "34"	2753	2755	2701
Pacemaker "45"	2753	2755	2701
Pacemaker "45 with Graphic Rangefinder	2755	2755	2701
Graflex Cameras	-	2754	2701
Graphic View	-	2754	2701
Graphic 35	-	2758	2723
Ciro 35	-	2758	2718
Graflex "22"	-	2759	2723
2-1/4 x 3-1/4 Miniature	2754	2755	2701
3-1/4 x 4-1/4 Anniversary	2752	2755	2701
4 x 5 Anniversary	2752	2755	2701

* Use 2708 Cord with Kodak Synchro "800" Shutter





GRAFLASH

For Cameras Having Built-in Synchronization

Flash Units, less batteries

Cat. No.		Net Prices 3 or more	1-2	List Price
	With wide acceptance foot fitting Graphic 35, Graflex 22, Argus C-4, Stereo Realist, Revere Stereo, etc. (Not Ciro 35)			
8045	Graflash PL (uses Penlite Batteries)	$3.90	$4.23	$6.50
8048	Graflash B-C (uses 22½ V Battery)	5.97	6.47	9.95
8047	M-2 Graflash B-C (for M-2 lamps, uses 22½ V Battery)	5.97	6.47	9.95
	Other Graflash Units with Special Foot for Camera Indicated			
8044	Graflash B-C for Graflex 22 only	5.97	6.47	9.95
8046	Graflash PL for Ciro 35 only	3.90	4.23	6.50
8050	Universal Graflash B-C with foot for Non-Sync Camera Shoe Fitting and flat Universal Mounting bracket No. 2757 (for Cameras requiring connecting cord fitting, cord not included) (also fits accessory clip on foreign made cameras)	5.97	6.47	9.95

GRAFLITE

FLASH UNITS

For Cameras having built-in Synchronization

Includes:
- Battery Case, with Clamps
- Reflector

Order:
- Battery Case Support
- Connecting Cord

FLASH SYNCHRONIZERS

For Solenoid use

Includes:
- Battery Case, with Clamps
- Reflector
- Solenoid and Solenoid Mount
- Connecting Cord (See Below)

Order:
- Battery Case Support

FLASH UNITS

2725	2-cell Battery Case 5" Reflector, etc., as above	$14.07	$23.45
2727	2-cell Battery Case 7" Reflector, etc., as above	14.07	23.45
2735	3-cell Battery Case 5" Reflector, etc., as above	14.22	23.70
2737	3-cell Battery Case 7" Reflector, etc., as above	14.22	23.70

FLASH SYNCHRONIZERS

2736	3-cell Battery Case 5" Reflector, 20" Solenoid Cord, etc., as above	$23.31	$38.85
2738	3-cell Battery Case 7" Reflector, 20" Solenoid Cord, etc., as above	23.31	38.85
2836	3-cell Battery Case, 5" Reflector, 36" Solenoid Koiled Kord, etc., as above	24.78	41.30
2838	3-cell Battery Case, 7" Reflector, 36" Solenoid Koiled Kord, etc., as above	24.78	41.30

Installation and Synchronization of Synchronizer

9460	Fitting charge for installing and synchronizing any of the solenoids to wood or new light weight metal lensboards	$1.50	$ 1.50
9461	Fitting charge for installing and synchronizing any of the solenoids to diecast metal lensboards	2.25	2.25

GRAFLITE JR.

For Cameras Having Built-in Synchronization

Graflite Jr. includes 2 cell battery case with series (B-C) and parallel (1.5v battery) wired outlets, and No. 2745 - 5" Graflite Reflector. Graflite Jr. uses standard Graflite connecting cords listed on Page 37.

		Net Price	List Price
2850	Graflite Jr. with Universal Mounting Bracket No. 2757, less cord	$ 9.51	$15.85
2851	Graflite Jr. with Reflex Mounting Bracket No. 2760, less cord	9.75	16.25
2852	Graflite Jr. with Graflite Battery Case Clamps No. 2771, less cord	10.77	17.95











SOLENOID MOUNTS

CAMERA	GRAPHEX			SUPERMATIC*			DIAL SET COMPUR		RIM SET COMPUR	
	No.1	No.2	No.3	No.1	No.2	No.3	No.1	No.2	No.0	No.1
2¼ x 3¼ Miniature	2563	-	-	2564	2564	-	-	-	2563	-
3¼ x 4¼ Anniversary	2561	2561	2560	2561	2561	2560	2560	2560	2561	2560
4 x 5 Anniversary	2561	2561	2561	2561	2561	2561	2561	2560	2560	2560
Century	2763	-	-	2763	-	-	-	-	-	-
Pacemaker "23"	2763	-	-	2763	-	-	-	-	-	-
Pacemaker "34"	2762	2761	2761	2762	2761	2761	2761	2761	2761	2761
Pacemaker "45"	2762	2762	2762	2762	2762	2762	2762	-	-	2762
Graflex "22" Model 400	-	8049	-	-	-	-	-	-	-	-

*Do not use solenoid with Flash Supermatic Shutter.



GRAFLITE COMPONENTS

GRAFLITE CORDS

For GRAPHIC-GRAFLEX Cameras

Cat. No.		Net Price	List Price
2701	20" Synchronized Shutter Cord (A.S.A. double post)	$1.20	$2.00
2702	36" Synchronized Shutter Cord (A.S.A. double post)	1.20	2.00
2810	36" Synchronized Shutter Koiled Kord (order 2711 Koiled Kord Clip)	2.37	3.95
2703	20" Solenoid Cord	1.20	2.00
2704	36" Solenoid Cord	1.20	2.00
2809	36" Solenoid Koiled Kord (order 2711 Koiled Kord Clip)	2.37	3.95
2711	Clip Support for Koiled Kord	.21	.35
2723	20" Unicord Shoe Cord for Graphic 35, Graflex 22	1.20	2.00
2705	16" Twin Case Connector Cord	1.20	2.00
2706	15' Extension Cord for Extension Flash Unit	1.20	2.00
2707	20" Cord for Model G Switch (Twin Tip)	1.20	2.00
2720	15' Remote Control Cord with Momentary Switch	2.37	3.95
2808	36" Bayonet (A.S.A.) Koiled Kord for Kodak "800" Graphic Synchro-Compur, etc.	2.37	3.95

GRAFLITE CORDS

For Other Cameras Having Built-in Synchronization

2701	20" Synchronized Shutter Cord (A.S.A. double post)	1.20	2.00
2707	20" Cord for Model G Switch (Twin Tip)	1.20	2.00
2808	36" Bayonet (A.S.A.) Koiled Kord for Kodak "800" Graphic Synchro-Compur, etc.	2.37	3.95
2714	20" Cap (Continental) Cord, large, for Prontor II Shutters	1.20	2.00
2716	20" Block Post Cord—Argus C-3	1.20	2.00
2718	20" Shoe (B) Cord—Ciro 35, and Universal cameras	1.20	2.00
**2721	20" Cap Cord, small, for Compur Rapid (not Graphic Synchro-Compur) and Prontor S Shutters	1.20	2.00
2821	36" Cap Koiled Kord, small, for Compur Rapid (not Graphic Synchro-Compur) and Prontor S Shutters	2.37	3.95
2723	20" Unicord Shoe Cord for Graphic 35, Graflex 22, Stereo Realist, Argoflex, Argus 21, C-4, etc.	1.20	2.00

ACCESSORIES OR REPLACEMENTS

Battery Case Supports, Encircling Brackets, Etc. (for Battery Case Clamps)

2752	Rangefinder Encircling Bracket for Anniversary 3¼x4¼ and 4x5 Graphics	1.77	2.95
2753	Rangefinder Encircling Bracket for Pacemaker "34" and "45" Graphics, with Kalart or Hugo Meyer Rangefinder	1.77	2.95
2754	Flat Battery Case Mounting Plate for Graflex cameras and all Graphic "23" cameras with rangefinder	.57	.95
2755	Battery Case Mounting Bracket for Pacemaker and Anniversary Graphics without Rangefinder, or Pacemaker Graphic "45" with Graphic Rangefinder	1.17	1.95
2756	Pair of Handle Lugs, complete, used with Century Graphic without Rangefinder	.60	1.00
2758	L-Bracket for miniature and folding cameras	1.86	3.10
2759	Platform Bracket for small reflex cameras	1.98	3.30

Battery Case Supports (Screw on Type)

2757	Universal (flat) Mounting Bracket	1.17	1.95
2760	Reflex Mounting Bracket	1.41	2.35

Extension Flash

2778	Graflite Extension Flash with adjustable rubber covered spring clamp, wired for battery (parallel) and B-C (series) circuits, including 15' cord No. 2706, less reflector	5.97	9.95
2024	SR Teleflash, (Slave) complete with batteries, "C" clamp, and swivel	39.60	66.00

Reflectors

2747	7" Graflite Reflector for medium screw base lamps	3.90	6.50
2745	5" Graflite Adjustable Reflector with removable reflector shell, for bayonet base lamps	3.90	6.50
2746	Hinged Shield complete for 5" Graflex and Graflite reflectors	2.70	4.50
2744	Diffusion Disk for use with Cat. No. 2746 Hinged Shield	1.29	2.15

M-2 Reflector Insert, Fits No. 2745, 2749 Graflite and Similar Reflectors

2742	Box of six M-2 Reflector Inserts	7.02	11.70
2743	M-2 Reflector Inserts, each	1.17	1.95

Solenoid Releases (less mount)

2531	No. 2 Graflex Solenoid Release, less mount (for hard to trip shutters)	7.35	12.25
	All Solenoid Release Mounts (specify type from chart on opposite page) each	.90	1.50

Additional Listings on Next Page

**Availability upon request.





2772 2773



MOUNTING PLATES AND ENCIRCLING BRACKETS







GRAFLITE COMPONENTS, Continued

Battery Cases and Components

		Net Price	List Price
2770	Graflite Jr. Battery Case, only	$ 5.25	$ 8.75
2772	2-cell GRAFLITE Battery Case, with clamps	10.50	17.50
2773	3-cell GRAFLITE Battery Case, with clamps	10.65	17.75
2771	Top and bottom clamps for GRAFLITE Battery Cases	3.45	5.75
2774	GRAFLITE 1-cell Extension Tube (may be used in multiple)	1.50	2.50

B-C Cartridge

Graflex B-C Cartridges are designed for use with Graflite Jr. and other Flash Units intended for use with cameras having built-in synchronization.

2794	Graflex B-C Cartridge Kit, containing 10 Cat. No. 2795, B-C Cartridges less battery, for 2-cell size D battery case and 2 Cat. No. 2796, B-C cartridges less batteries for 3-cell size D battery case	27.84	46.40
2795	Graflex B-C Cartridge, less battery, for 2-cell size D battery case	2.31	3.85
2796	Graflex B-C Cartridge, less battery, consisting of B-C cartridge and spacer for 3-cell size D battery case	2.37	3.95
2797	3-cell Spacer for Graflex B-C Cartridge	.19	.25

Miscellaneous

2588	Right Angle Connector Plug	.57	.95

ACCESSORIES and Replacement Parts for GRAFLEX Early Model Flash Synchronizers

We will endeavor to maintain the following accessories to service owners of the earlier model synchronizer.

Cat. No.		Net Price	List Price
2515	S-17 - 17" Cord GRAFLEX Battery Case to Solenoid	$ 1.20	$ 2.00
2516	S-36 - 36" Cord GRAFLEX Battery Case to Solenoid	1.20	2.00
2517	A-20 - 20" Cord GRAFLEX Battery Case to Synchronized Shutter (A.S.A. bi-post)	1.20	2.00
2519	F-180 - 15' GRAFLEX Extension Cord only	2.10	3.50
2513	O-17 - 17" Cord with GRAFLEX Battery Case connector on one end and pair of pin tips on the other end	1.20	2.00
2500	R-180 - 15' Remote Control Cord with Momentary Switch	2.10	3.50
2541	5" Reflector for Bayonet-base Lamps	3.96	6.60
2542	7" Reflector for Medium-base Lamps	4.26	7.10
2571	"2-cell" Bottom Tube for GRAFLEX Battery Case	1.65	2.75
2570	"3-cell" Bottom Tube for GRAFLEX Battery Case	1.95	3.25
2573	"4-cell" Bottom Tube for GRAFLEX Battery Case	2.31	3.85

Rangefinder Encircling Brackets and Mounting Plates

For Pre-1947 Model Speed GRAPHIC Cameras

(Not required for Model E-1 and E-2 Kalart Rangefinders.
Supplied without battery case slide.)

2551	GRAFLEX Encircling Bracket with screw-in eyepiece for use with Kalart Model F Rangefinders	1.50	2.30
2552	GRAFLEX Encircling Bracket for Kalart Model E and Hugo Meyer Rangefinders	.85	1.30

For GRAFLEX and Pacemaker GRAPHIC Cameras

2553	GRAFLEX Encircling Bracket for Rangefinder for Pacemaker GRAPHIC Cameras	1.50	2.30
2554	Battery Case Mounting Plate for Super D GRAFLEX	.68	.90
2555	Battery Case Mounting Plate for Mounting GRAFLEX Battery Cases on Non-Rangefinder Equipped Pacemaker Cameras	.68	.90

Miscellaneous

8039	Replacement 20" Connecting Cord for Ciroflex	1.20	2.00



#2035



#2031 #2030 #2032



#2036 Front and Rear

#2026



#2116, #2117, #2115



#2119





#2120 Dolly

ACCESSORIES AND REPLACEMENTS FOR STROBOFLASH

		Net Price	List Price
Accessories			
2095	Battery Booster for Stroboflash I, II, III and IV	$17.97	$29.95
2096	Battery Analyzer for Stroboflash I, II, III and IV	17.97	29.95
2176	Dow Corning #4 Compound (Box of 4, one oz. tubes)	3.00	4.00
2175	Dow Corning #4 Compound (Per tube)	—	1.00
Capacitors (soldered fittings)			
2186	Sprague 525mfd. 450 V.D.C. Capacitor (Sprague #22D2) for Stroboflash II	11.81	15.75
2187	Sprague 250 mfd. 450 V.D.C. Capacitor for Stroboflash I, III and IV	4.50	6.00
Tubes			
2130	G-E FT118 Flashtube for Stroboflash lamp head (soldered fitting)	5.40	7.20
2131	Kemlite DW2 Flashtube for Stroboflash lamp head (solder fitting)	5.40	7.20
Phototubes			
2141	Phototube CE86C for Teleflash	3.71	4.95
2142	Phototube CE84R for Stroboflash I, II, III and IV	4.46	5.95
Rectifier			
2150	Rectifier, selenium #813, for battery booster (soldered fitting)	5.21	6.95
Trigger Tubes			
2155	Trigger tube RCA 5823, for Stroboflash I, II, III and IV	3.38	4.50
2157	Trigger tube 1C21 for Teleflash (soldered fitting)	4.13	5.50
Fuses			
2190	Fusetron MDL.2 for Stroboflash II	.19	.25
2194	Fusetron MDL¼ for Stroboflash III and IV	.19	.25
Batteries			
2091	#413 30-volt Minimax battery for Teleflash, 4 required, each	.98	1.40
2092	225-volt battery for Stroboflash II, III and IV, 2 required, each	7.46	9.95
2093	240-volt battery for Stroboflash I, 2 required, each	5.96	7.95

STROB X DEVELOPER AND FIXER

(Packed 6 quart bottles to a case)

		Lot of 5 or More Cases	Lot of 1-4 Cases	
2180	Strob X Developer, to make 1 gallon ..... per quart	$.90	$.98	$1.50
2181	Strob Fixer, to make 1 gallon ..... per quart	.90	.98	1.50

Shutter	Speeds	Built-in Synchronization X	F	M	Sync. Shutter Cord	possible † solenoid use
Century (Current)	1/10-1/200 T&B	All Speeds	1/10-1/100	1/10-1/25	2701	No
Century (Early Model)	1/10-1/200 T&B	*	All Speeds	1/10-25	2701	No
#1 & #2 Graphex-full Sync.	1 sec.-1/400 T&B	All Speeds	1 sec.-1/50	All Speeds	2701	Yes
#3 Graphex-full Sync.	1 sec.-1/200 T&B	All Speeds	1 sec.-1/50	All Speeds	2701	Yes
#1 & #2 Graphex (X)	1 sec.-1/400 T&B	All Speeds	No	No	2701	Yes
#3 Graphex (X)	1 sec.-1/200 T&B	All Speeds	No	No	2701	Yes
#1 Graphic Synchro-Compur	1 sec-1/400 T&B	All Speeds	1 sec-1/50	All Speeds	2808	Yes
#4 Alphax sync.	1/2-1/50 T&B	All Speeds	No	All Speeds	2701	No
#1 & #2 Flash Supermatic	1 sec.-1/400 T&B	All Speeds	All Speeds	All Speeds	2701	No
#2 Supermatic (X)	1 sec.-1/400 T&B	All Speeds	No	No	2701	Yes
#3 Supermatic (X)	1 sec.-1/200 T&B	All Speeds	No	No	2701	Yes
Synchro. rapid (800)	1 sec.-1/800 B	All Speeds	1 sec.-1/400	All Speeds	2808	No
#2 Acme Synchro	1 sec.-1/300 T&B	All Speeds	All Speeds	All Speeds	2701	No

Note: High speed electronic flash units tripped by a mechanical relay should be used in connection with solenoid operation only.

*Consult manufacturer of unit for special 5 ms synchronizing accessory

†Use 2703 connecting cord with solenoid

Table Showing Standard Masks and Lenses

For Various Film Sizes (not camera size)

2¼x3¼	3¼x4¼	4x5	Mask Number	2¼x2¼ Lens	Mask
	4½"— 4¾"	5" — 5⅞"	4	3⅛"—4½"	12
3¼"— 3⅞"	4⅛"— 5¼"	5⅛"— 6⅜"	3	4⅜"— 5"	14
3⅛"— 4⅛"	5 1/16"— 6"	6 1/16"— 6⅝"	2	5 1/16"— 6"	15
4⅜"— 5"	6 1/16"— 7"	6⅛"— 8½"	9	6 1/16"— 8"	17
5 1/16"— 6"	7 1/16"— 8"	8⅜"— 9½"	10	9⅜"—11⅞"	13
6 1/16"— 7½"	8 1/16"— 8½"	9 1/16"—10½"	11		
7⅜"— 7¾"	8⅜"—12"	10⅜"—13½"	8		
7⅛"— 9½"	12 1/16"—13⅞"	13⅜"—15"	7		
9⅜"—11⅞"	13⅛"—16"	15 1/16"—16⅞"	6		
11⅛"—13"	16 1/16"—20"	16⅛"—20"	5		

Masks for Wide Angle Viewfinders

Negative Size

W. A. Lens	2¼x3¼	3¼x4¼	4x5
65mm	4	*	**
90mm	**	4	none required
88mm	**	4	none required
80mm	3	4	**
100mm	**	3	4

*We do not have a mask recommended for the 65mm lens when used with the Crown Graphic "34" Camera, since this lens includes considerably more angle of view than can be seen through the viewfinder with no mask at all.

**Lens indicated not recommended for use with this camera.

Total Cost of Extra Items for Extra Lenses Purchased from Graflex for use with following cameras. Items include lensboard, focusing scales, infinity stops, and viewfinder mask. Customer's lens must be available for inspection at a Graflex Service Sales Department. See Page 33 for cams for Graphic Rangefinder.

See pages noted for details. *Order by kit number.*

Order Extra Items by "Lens Kit No."	Century "23"			Pacemaker "23"			Pacemaker "34"			Pacemaker "45"		
	Page 14			Page 18			Page 22			Page 26		
	Kit No.	Net	List	Kit No.	Net	List	Kit No.	Net	List	Kit No.	Net	List
Replacement lens of standard focal length	94311	$2.26	$3.06	94321	$2.44	$3.32	94331	$2.31	$3.25	94341	$2.38	$3.35
Telephoto in barrel (Speed Graphic only)	—	—	- -	94322	3.22	4.50	94332	3.31	4.65	94342	3.38	4.75
202mm Tele-Optar in shutter.	94313	3.05	4.25	94323	3.22	4.50	94332	3.31	4.65	—	—	—
25cm Tele-Optar in shutter...	94314	3.22	4.50	94324	3.22	4.50	94332	3.31	4.65	94344	3.38	4.75
38cm Tele-Optar in shutter...	—	—	—	—	—	—	—	—	—	94345	3.38	4.75[1]
Additional long lens in #2 or #3 shutter	94316	3.05	4.25	94326	3.22	4.50	94336	3.31	4.65[3]	94346	3.38	4.75[3]
Additional long lens in #4 shutter	—	—	—	—	—	—	—	—	—	94347	3.38	4.75[1]
Wide Angle lens	94318	3.14	4.24[2]	94328	3.32	4.50[2]	94338	3.42	4.66[2]	94348	3.50	4.77[1]
Wide Angle lens with space for only 1 infinity stop	94319	2.70	3.65[2]	94329	2.88	3.91[2]	94339	2.98	4.07[2]	94349	3.06	4.18[2]

[1] Body release arm not supplied.

[2] Order separately 9106 Wide Angle Viewfinder, see next page.

[2a] Order separately 3060 Wide Angle Viewfinder Lens, see page 33.

[3] Body release not usable with #3 and #4 Ilex Acme Synchro Shutters.

LENSES

When ordering accessory lenses for GRAPHICs, be sure to check opposite page.

All Lenses Listed Have Had the Air-glass Surfaces Treated with a Hard Surface Anti-reflection Coating.

Cat No.		Kind of Shutter or Barrel Mount	Filter Size Mount Dia.	Series	Net Price	List Price
	WIDE ANGLE					
205†*	65 mm (2½") Graflex W. A. Optar	f/6.8 (#1 Graphex Fully Sync'd)	35 mm	6	$68.64	$104.00
221†	90 mm (3½") Graflex W. A. Optar	f/6.8 (#1 Graphex Fully Sync'd)	31.5 mm	6	70.43	106.65
135†	100 mm Kodak Ektar Wide Field	f/6.3 (#2 Flash Supermatic)	§	7	91.00	140.00
	TELEPHOTO					
270	202 mm (8") Graflex Tele-Optar	f/5.6 (barrel mount)	44.5 mm	7	64.68	99.50
271	202 mm (8") Graflex Tele-Optar	f/5.6 (#2 Graphex Fully Sync'd)	44.5 mm	7	96.85	149.00
281	25 cm (10") Graflex Tele-Optar	f/5.6 (barrel mount)	57 mm	8	85.80	132.00
283	25 cm (10") Graflex Tele-Optar	f/5.6 (#3 Graphex) (x)	57 mm	8	109.85	169.00
284	25 cm (10") Graflex Tele-Optar	f/5.6 (#3 Graphex Fully Sync'd)	57mm	8	120.25	185.00
294	38 cm (15") Graflex Tele-Optar	f/5.6 (barrel mount)	82.5 mm	9	126.75	195.00
292	38 cm (15") Graflex Tele-Optar	f/5.6 (#4 Alphax Sync'd)	82.5 mm	9	144.95	223.00
	NORMAL					
233	103 mm Graflex Graftar	f/4.5 (XFM Century)	31.5 mm	6	21.13	32.50
136	101 mm (4") Kodak Ektar	f/4.5 Kodak Synchro Rapid "800" with TBI Metal Cable Release	§	5	64.03	98.50
134	105 mm (4⅛") Kodak Ektar	f/3.7 (#2 Flash Supermatic)	38 mm	6	64.84	99.75
244	135 mm (5¼") Graflex Optar	f/4.7 (#2 Graphex Fully Sync'd)	38 mm	6	62.08	95.50
245	135 mm (5¼") Graflex Optar	f/4.7 (#2 Graphex) (x)	38 mm	6	51.68	79.50
141	127 mm (5") Kodak Ektar	f/4.7 (Graphic Synchro-Compur)	38 mm	6	59.48	91.50
151	152 mm (6") Kodak Ektar	f/4.5 (#3 Kodak Supermatic) (x)	44.5 mm	7	68.90	106.00
261	162 mm (6⅜") Graflex Optar	f/4.5 (#3 Graphex Fully Sync'd)	44.5 mm	7	76.70	118.00
968	5½" (139 mm) Ilex Paragon Anst	f/4.5 (#2 Ilex Acme Synchro)	43 mm	7	86.60	129.90
969	6½" (165 mm) Ilex Paragon Anst	f/4.5 (#2 Ilex Acme Synchro)	43 mm	7	94.60	141.90
971	5½" and 6½" Ilex Paragon Anas. lens cells	f/4.5 (#2 Ilex Acme Synchro)	43 mm	7	125.20	187.80
	SPECIAL					
173	203 mm (8") Kodak Ektar	f/7.7 (#2 Flash Supermatic)	33 mm	6	60.13	92.50
150	152 mm (6") Kodak Ektar (Supplied only mounted on Model A lensboard for 3¼ x 4¼ Super D)	f/4.5 (Automatic Diaphragm)	44.5 mm	7	55.09	84.75
275	190 mm (7½") Graflex Optar Supplied only on choice of following lensboards—cost additional:	f/5.6 (Automatic Diaphragm)	44.5 mm	7	55.09	84.75
	#9201 for 3¼ x 4¼ Super D				.81	1.25
	#9202 for 4 x 5 Super D				.91	1.40

(See Opposite Page for Accessories to be Ordered With Lenses)

§With adapter ring. Order insert ring or lenshade with filter.

△Enteco combination filter holder and sunshade, takes 3¼" filter. (Not Supplied by Graflex)

*For Crown "23" and "34" only.

†Wide angle viewfinder (if needed) see below.

BODY RELEASE ARM

9482	Adjustable Body Release Arm to operate #1, #2 and #3 size Graphex shutters on Graphic "45's" without use of screwdriver. Note: #1 Graphex Shutter must be rotated slightly from normal position on lensboard.	1.46	1.95

VIEWFINDERS

(See opposite page for mask chart)

9131	Short Optical viewfinders (with mask) requires 9133 clip (specify lens)	4.55	7.00
9132	Long Optical viewfinder (with mask) requires 9133 clip (specify lens)	4.55	7.00
9106	Optical viewfinder for wide angle lenses (with mask) requires 9133 clip (specify lens)	5.30	8.15
9133	Mounting clip for optical viewfinders	.26	.40
9105	Masks for optical viewfinder (specify film size and lens)	each .20	.30

PRE-CUT LENSBOARDS

CENTURY

BRIGHT Cat. No.	BRIGHT Part No.	BLACK Cat. No.	BLACK Part No.	Opening	Used For
9151	30854 14	9161	30854 9	BLANK	
9239	30854 19	9162	30854 8	.960	CENTURY SHUTTER
9157	30854 7	9163	30854 13	1.660	No. 3 WOLLENSAK, GRAPHEX
9242	30854 3	9164	30854 10	1.190	No. 1 KODAK SUPERMATIC
9240	30854 4	9165	30854 11	1.190	No. 1 WOLLENSAK, GRAPHEX
9243	30854 5	9166	30854 12	1.390	No. 2 KODAK SUPERMATIC
9241	30854 2	9167	30854 16	1.343	No. 2 WOLLENSAK, GRAPHEX SHUTTER
9244	30854 18	9168	30854 17	1.190	KODAK 800 SHUTTER

PACEMAKER "23"

Cat. No.	Part No.	Opening	
9151	30854 14	BLANK	
9152	30854 2	1.343	No. 2 WOLLENSAK, GRAPHEX
9153	30854 3	1.190	No. 1 KODAK SUPERMATIC
9154	30854 4	1.190	No. 1 WOLLENSAK, GRAPHEX
9155	30854 5	1.390	No. 2 KODAK SUPERMATIC
9156	30854 6	1.817	10" TELE OPTAR IN BARREL
9157	30854 7	1.660	No. 3 WOLLENSAK, GRAPHEX
9158	30854 15	1.602	8" TELE OPTAR IN BARREL
9159	30854 18	1.190	800 KODAK SHUTTER

PACEMAKER "34"

		Opening	
9171	30853 9	BLANK	
9172	30853 2	1.190	No. 1 KODAK SUPERMATIC
9173	30853 3	1.765	No. 3 KODAK SUPERMATIC
9174	30853 4	1.660	No. 3 WOLLENSAK, GRAPHEX
9175	30853 5	1.390	No. 2 KODAK SUPERMATIC
9176	30853 6	1.343	No. 2 WOLLENSAK, GRAPHEX
9177	30853 7	1.190	No. 1 WOLLENSAK, GRAPHEX
9170	30853	1.541	No. 1 GRAPHIC SYNCHRO-COMPUR
9178	30853 8	1.817	10" TELE OPTAR IN BARREL
9179	30853 10	1.602	8" TELE OPTAR IN BARREL

PACEMAKER "45"

		Opening	
9181	30852 11	BLANK	
9182	30852 2	1.190	No. 1 KODAK SUPERMATIC
9183	30852 3	1.765	No. 3 KODAK SUPERMATIC
9184	30852 4	1.660	No. 3 WOLLENSAK, GRAPHEX
9185	30852 5	1.390	No. 2 KODAK SUPERMATIC
9186	30852 6	1.343	No. 2 WOLLENSAK, GRAPHEX
9187	30852 7	1.190	No. 1 WOLLENSAK, GRAPHEX
9188	30852 9	1.817	10" TELE OPTAR IN BARREL
9189	30852 10	2.630	15" TELE OPTAR IN BARREL
——	30852 8	1.916	No. 3 ILEX
9190	30852 14	1.541	No. 1 GRAPHIC SYNCRO-COMPUR

Catalog Numbers include lensboard and appropriate shutter release arm for PM body release, where applicable.

Part Numbers refer to lensboard only.

LENSBOARDS

(See Also Page 25 for Old Style Lensboards)

These aluminum lensboards are precision-made, and may be ordered in prefabricated form ready to accept a specific lens or lens and shutter combination. Each lensboard supplied for a specific lens and shutter has the opening for the locating pin and detents on the reverse side to facilitate the attachment and proper location of one of the GRAFLEX solenoid mounts. Each such finished lensboard is supplied in the form of a kit complete with suitable shutter release arm to be actuated by the body release, where applicable when requested, or supplied with lens ordered from Graflex, Inc. When lensboard is fitted to taxable lens (less than 12cm) excise tax in the amount of 10% of the net price becomes applicable to list and net prices.

FOR CENTURY GRAPHICS (2¼x3¼)

Cat. No. Bright Finish	Cat. No. Black Finish		Net Price	List Price
9151	9161	Blank Lensboard	$.55	$.85
9239	9162	for Century Shutter	.55	.85
9240	9165	for No. 1 Graphex Shutter	.55	.85
9244	9168	for Kodak "800" Shutter	.55	.85
9242	9164	for No. 1 Supermatic Shutter	.55	.85
9241	9167	for No. 2 Graphex Shutter	.55	.85
9243	9166	for No. 2 Supermatic Shutter	.55	.85
9157	9163	for 25cm (10") Tele-Optar Lens in No. 3 Graphex Shutter	.72	1.10

FOR SPEED GRAPHIC "23" and CROWN GRAPHIC "23"

9151		Blank Lensboard	.55	.85
9154		for No. 1 Graphex Shutter	.72	1.10
9152		for No. 2 Graphex Shutter	.72	1.10
9157		for No. 3 Graphex Shutter	.72	1.10
9159		for Kodak "800" Shutter w/special strain relief arm	.72	1.10
9153		for No. 1 Supermatic Shutter	.72	1.10
9155		for No. 2 Supermatic Shutter	.72	1.10
‡9156		for 25cm (10") Tele-Optar lens in barrel	.72	1.10
9157		for 25cm (10") Tele-Optar lens in No. 3 Graphex Shutter	.72	1.10
‡9158		for 202mm (8") Tele-Optar lens in barrel mount	.72	1.10

FOR SPEED GRAPHIC "34" and CROWN GRAPHIC "34"

9171		Blank Lensboard	.65	1.00
9177		for No. 1 Graphex Shutter	.81	1.25
9176		for No. 2 Graphex Shutter	.81	1.25
9174		for No. 3 Graphex Shutter	.81	1.25
9172		for No. 1 Supermatic Shutter	.81	1.25
9175		for No. 2 Supermatic Shutter	.81	1.25
9173		for No. 3 Supermatic Shutter	.81	1.25
9170		for No. 1 Graphic Synchro-Compur Shutter	.81	1.25
‡9178		for 25cm (10") Tele-Optar lens in barrel mount	.81	1.25
‡9179		for 202mm (8") Tele-Optar lens in barrel mount	.81	1.25

FOR SPEED GRAPHIC "45" and CROWN GRAPHIC "45"

9181		Blank Lensboard	.72	1.10
9187		for No. 1 Graphex Shutter	.88	1.35
9186		for No. 2 Graphex Shutter	.88	1.35
9184		for No. 3 Graphex Shutter	.88	1.35
9185		for No. 2 Supermatic Shutter	.88	1.35
9183		for No. 3 Supermatic Shutter	.88	1.35
9190		for No. 1 Graphic Synchro-Compur Shutter	.88	1.35
‡9188		for 25cm (10") Tele-Optar lens in barrel mount	.88	1.35
9189		for 38cm (15") Tele-Optar lens in barrel mount ‡ and No. 4 Alphax	.88	1.35
9180		Variable Off-Center Lensboard for 90mm W.A. Optar lens for Pacemaker Graphic "45"	4.06	6.25
9230		Pacemaker "45" Graphic Lensboard Adapter, to allow use on cameras accepting 4x4 Model C Lensboards	3.38	5.20

LENSBOARDS FOR OLDER CAMERAS (From Page 63)

9249		Blank, Model H, 2½ x 2½, for Miniature Speed Graphic	.81	1.25
9201		Blank, Model A, 3¼ x 3¼, for Speed Graphics	.81	1.25
9203		Blank, Model C, 4 x 4, for 4x5 Speed Graphics	.98	1.50

‡For Speed Graphics only.


PLACE THE LOWER EDGE OF THE METAL HANDLE OF THE SLIDE EVEN WITH TOP LINE.
PLACE EDGE OF SLIDE ON THIS LINE
1452
1402
1432
1403
1453
1433
1404
1443
1454
1434
1494
1405
1489
1491
1412
1472
1442
1417
1418
1413
1463
1473
1414
1424
1444
1415
1435

SLIDES

No Excise Tax Applicable

FOR GRAPHIC FILM AND PLATE HOLDERS

Cat. No.		Size	Net Price	List Price
1412	2¼ x 3¼ Film	2½ x 4⅜	$.36	$.55
1402	2¼ x 3¼ Film	2 9/16 x 4⅝	.36	.55
1472	2¼ x 3¼ Film—Type 4	2 9/16 x 4 13/16	.36	.55
1442	2¼ x 3¼ Film—Type 5	2 9/16 x 4⅞	.36	.55
1413	3¼ x 4¼ Film and Plate	3 19/32 x 5¼	.39	.60
1463	3¼ x 4¼ Film	3 19/32 x 5 13/16	.39	.60
1473	3¼ x 4¼ Film—Type 4	3 9/16 x 5 23/32	.39	.60
1443	3¼ x 4¼ Film—Type 5	3 9/16 x 5¾	.39	.60
1414	4 x 5 Film and Plate	4 9/32 x 6	.42	.65
1444	4 x 5 Film—Type 4, 5 and Riteway	4 9/32 x 6 7/16	.42	.65
1644	4 x 5 Type 2 Color Film Use, for Type 4, 5 and Riteway	4 9/32 x 6 7/16	.42	.75
1494	9 x 12 cm Film	4 9/32 x 6 5/16	.42	.65

FOR GRAPHIC FILM PACK ADAPTER

1402	2¼ x 3¼	2 9/16 x 4⅝	.36	.55
1432	2¼ x 3¼—Model 2	2⅝ x 4 27/32	.36	.55
1433	3¼ x 4¼—Model 2	3 7/16 x 5 23/32	.39	.60
1434	4 x 5—Model 2	4 7/32 x 6½	.42	.65

FOR GRAPHIC POLAROID BACK

1434	4 x 5	4 7/32 x 6½	.42	.65

FOR GRAPHIC-GRAFLEX ROLL HOLDERS

1432	2¼ x 3¼ (No. 120)	2⅝ x 4 27/32	.36	.55
1417	3¼ x 4¼ (No. 120)	2⅝ x 5¼	.39	.60
1418	4 x 5 (No. 120)	2⅝ x 5 11/16	.42	.65

GRAFLEX

FOR GRAFLEX FILM AND PLATE HOLDERS

1412	2¼ x 3¼	2½ x 4⅜	.36	.55
1413	3¼ x 4¼	3 19/32 x 5¼	.39	.60
1414	4 x 5 Film	4 9/32 x 6	.42	.65
1614	4 x 5 Type 2 for Color Film Use	4 9/32 x 6	.49	.75
1424	4 x 5 Plate	4 9/32 x 6 7/32	.42	.65
1415	5 x 7 Film	5¼ x 8 1/16	.49	.75
1435	5 x 7 Plate	5 9/32 x 8 9/32	.49	.75

FOR GRAFLEX FILM PACK ADAPTER

1402	2¼ x 3¼	2 9/16 x 4⅝	.36	.55
1432	2¼ x 3¼—Model 2	2⅝ x 4 27/32	.36	.55
1403	3¼ x 4¼	3 5/16 x 4 31/32	.39	.60
1433	3¼ x 4¼—Model 2	3 7/16 x 5 23/32	.39	.60
1404	4 x 5	4 1/32 x 5 11/16	.42	.65
1434	4 x 5—Model 2	4 7/32 x 6½	.42	.65
1405	5 x 7	5 1/16 x 7 13/16	.49	.75

FOR GRAFLEX FILM AND PLATE MAGAZINES

1452	2¼ x 3¼	2 7/16 x 4 7/16	.49	.75
1453	3¼ x 4¼	3 3/16 x 5 9/16	.59	.90
1454	4 x 5	4 x 6⅝	.59	.90
1491	5 x 7 Film and Plate	5 1/32 x 8½	.75	1.15

FOR STERLING PLATE AND FILM HOLDERS

1481	8 x 10 Film and 1482 8 x 10 Plate		1.20	1.85
1496	11 x 14 Film		2.11	3.25

FOR CENTURY PLATE AND FILM HOLDERS

1489	5 x 7		.55	.85
1480	8 x 10		1.07	1.65

SUNDRIES AND REPLACEMENTS

BOOKS

Cat. No.		Net Price 6 or More any title	Net Price 1-5	List Price
5625	"Graphic Graflex Photography", 10th edition completely revised. Edited by Morgan & Lester	$ 3.60	$ 3.90	$ 6.00
5632	Photography with the Graflex "22", Edited by Morgan & Lester	1.80	1.95	3.00

TRIPODS AND ACCESSORIES

		6 or More Assorted		
8094	Graflex Speed Tripod	11.97	11.97	19.95
8095	Extra Guide--on Camera Adapter for Graflex Speed Tripod	—	.53	.70
		3 or More	1-2	
4610	Graphic Pan-Tilt Tripod Head for larger Tripods and Stands	11.31	12.25	18.85

LIGHT STANDS (not for camera use)

(PIC FEATHERLITE. See page 45 for Heavy Duty Stands)

4707	PIC Stand 7′ extended, 18″ closed, 1 lb. 12 ozs.	—	10.77	17.95
4709	PIC Stand 9′ extended, 22″ closed, 2 lbs. 2 ozs.	—	11.97	19.95
4711	PIC Stand 11′ extended, 26″ closed, 2 lbs. 8 ozs.	—	13.17	21.95
4708	Graflex All Purpose Stand, 10′ Extended, 25″ Closed	—	12.57	20.95

DIVIDING BACK ATTACHMENTS

9109	Graflok Dividing Back—fits 4x5 Graflok Backs	—	19.18	29.50
9014	Graflex Dividing Back—fits all 4x5 Graflex Backs	—	15.37	23.65

VIEWFINDERS

9131	Short Optical Viewfinder (with mask) requires 9133 clip (specify lens)	—	4.55	7.00
9132	Long Optical Viewfinder (with mask) requires 9133 clip (specify lens)	—	4.55	7.00
9106	Optical Viewfinder for wide angle lenses (with mask) requires 9133 clip (specify lens)	—	5.30	8.15
3060	Wide Angle Viewfinder Lens for Graphic Rangefinder (90mm lens only)	2.97	3.22	4.95
9133	Mounting Clip for Optical Viewfinders	—	.26	.40
9105	Masks for Optical Viewfinder.....each (specify film size and lens)	—	.20	.30

SET OF SEPTUMS FOR GRAFMATIC HOLDERS

1558	Set of Six Septums for 2¼x3¼ Grafmatic Holder	—	1.38	2.10
1560	Set of Six Septums for 4x5 Grafmatic Holder	—	1.98	3.00

INDIVIDUAL SEPTUMS FOR GRAFLEX MAGAZINES AND GRAFMATIC HOLDERS

(For Graflex Magazines, specify septum number)

	2¼x3¼ each	—	.23	.35
	3¼x4¼ each	—	.29	.45
	4x5 each	—	.33	.50
	5x7 each (for film only)	—	.36	.55

GRAFLARGERS

Complete for attachment to Graphic, Graflok and Graflex Backs

For 110 Volt A.C., 60 Cycle

		3 or More	1-2	List
6017	Graflarger "23" (includes negative carrier)	23.85	25.84	39.75
6018	Graflarger "34" (includes negative carrier)	23.85	25.84	39.75
6019	Graflarger "45" (includes negative carrier)	23.85	25.84	39.75

SPECIAL NEGATIVE CARRIERS

			Each	
6022	"22" (2¼x2¼) Negative Carrier for Graflarger "23"	—	1.33	2.05
6026	"22" (2¼x2¼) Negative Carrier for Graflarger "45"	—	1.33	2.05
6027	"23" (2¼x3¼) Negative Carrier for Graflarger "45"	—	1.33	2.05
6040	GRAFLARGER STAND	—	12.68	19.50
6039	BASEBOARD for Graflarger Stand	7.65	8.29	12.75

ACCESSORIES FOR GRAFLEX ENLARG-OR-PRINTER

The Hinged Focusing Screen, a number of negative masks and lensboards are available. Details and Prices upon request.



GRAFLOK BACKS

Pacemaker without Hood
Anniversary with Hood
(see listing)



PACEMAKER GRAFLEX BACK



ANNIVERSARY GRAFLEX BACK



RETAINING SPRING KIT
("23, "34", and "45")

SUNDRIES AND REPLACEMENT COMPONENTS
(Continued)

Cat. No.		Net Price	List Price
SPRING KITS for GRAPHIC Backs for Roll Holder Acceptance			
9295	Spring Kit "23" for all 2¼x3¼ GRAPHIC Backs (for roll holder use, only)	$ 1.01	$ 1.55
9296	Spring Kit, Large for all 3¼x4¼ and 4x5 GRAPHIC Backs (for roll holder use only)	1.01	1.55
CAMERA BACKS for PACEMAKER GRAPHICs "23", "34", "45"			
9292	Graflok Back "23" less Ektalite Field Lens, less viewing hood	9.07	13.95
9289	Graflok Back "23" with Ektalite Field Lens, less viewing hood	12.22	18.80
9290	Graflok Back "34" with Ektalite Field Lens, less viewing hood	13.94	21.45
9115	Graflok Back "45" with Ektalite Field Lens, less viewing hood, for Pacemaker Graphic*	14.27	21.95
9137	GRAFLEX Back "23" with focusing panel, less viewing hood	9.07	13.95
9054	GRAFLEX Back "34" with focusing panel, with Ektalite Field Lens, less viewing hood	13.94	21.45
9116	GRAFLEX Back "45" with Ektalite Field Lens, less viewing hood, for Pacemaker Graphic*	14.27	21.95
	*Peepsight should be kept in lowered (Infinity) position when used with old style front framefinder.		
FOCUSING PANELS, only			
9277	Graflok Focusing Panel "23" with Ektalite Field Lens, less viewing hood	6.11	9.40
9280	Graflok Focusing Panel "34" with Ektalite Field Lens, less viewing hood	6.47	9.95
9281	Graflok Focusing Panel "45" with Ektalite Field Lens, less viewing hood	6.66	10.25
9288	Focusing Panel less viewing hood for Graphic Polaroid Back	9.07	13.95
9142	2¼x3¼ Graflex, less Ektalite Field Lens, with viewing hood	5.98	9.20
9045	3¼x4¼ Graflex, with Ektalite Field Lens, with viewing hood	9.52	14.65
9046	4x5 Graflex, with Ektalite Field Lens, with viewing hood	9.91	15.25
9492	Conversion of Graflok Focusing Panel to include Ektalite Field Lens on new camera when originally ordered	3.15	4.85
Replacement Metal VIEWING HOODS (for Graflok and GRAFLEX Focusing Panels and Backs)			
9145	Removable Viewing Hood for 2¼x3¼ focusing panel	4.50	6.00
9146	Removable Viewing Hood for 3¼x4¼ focusing panel	4.65	6.20
9147	Removable Viewing Hood for 4x5 focusing panel	4.95	6.60

REPLACEMENT COMPONENTS
For Speed GRAPHICs - Older Models

CAMERA BACKS for 2¼x3¼ Miniature, 3¼x4¼ Pre-Anniversary and 3¼x4¼ and 4x5 Anniversary			
9285	Graflok Back complete for 2¼x3¼ (includes focal plane shutter synchronizer outlet) (does not include Ektalite Field Lens)	13.07	20.10
9297	Graflok Back complete with viewing hood, with Ektalite Field Lens for 2¼x3¼ Miniature Speed Graphic (includes synchronizer outlet)	16.22	24.95
9298	Graflok Back complete, with viewing hood, Ektalite Field Lens, for 3¼x4¼ Anniversary and Pre-Anniversary	17.97	27.65
9299	Graflok Back complete, with viewing hood, Ektalite Field Lens, for 4x5 Anniversary	18.56	28.55
9126	GRAFLEX Back complete with viewing hood, for 2¼x3¼ Miniature	13.07	20.10
9051	GRAFLEX Back complete, with viewing hood, with Ektalite Field Lens, for 3¼x4¼ Anniversary and Pre-Anniversary	17.97	27.65
9052	GRAFLEX Back complete, with viewing hood, Ektalite Field Lens for 4x5 Anniversary	18.56	28.55

SUNDRIES (Continued)

Cat. No.		Net Price	List Price
9020	National Graflex Wratten G Filters in mount for Series II, each	$ 2.63	$ 4.05
9025	National Graflex Diffusion Disk for Series II	4.16	6.40

COMMERCIAL EQUIPMENT AND ACCESSORIES

Back for Crown View Camera

9252	4x5-4x5 Graflex (less holder and less focusing panel)	7.93	12.20

8 x 10 R B ENLARGER

9680	8x10 R B Enlarger, complete with Revolving Negative Carrier and set of Kits.	155.90	239.85
9681	Negative Carrier with set of Kits for R B Enlarger	19.47	29.95
9674	Set of Kits only for R B Enlarger ($3\frac{1}{4}$x$4\frac{1}{4}$ to 8x10)	9.52	14.65

LAMPS and BATTERIES for FINGER PRINT CAMERA

5600	Extra batteries, No. 789, for above, each . . . (2 required)	1.20	1.85
5623	Extra Mazda Miniature Lamps . . . .each	.16	.25
5624	Carton of 10 Mazda Miniature lamps	1.50	2.30

LENSBOARDS FOR GRAFLEX AND ANNIVERSARY GRAPHICS

		Model	Size		
For R.B. Auto GRAFLEX Models					
9201	$3\frac{1}{4}$x$4\frac{1}{4}$	"A"	$3\frac{1}{4}$x$3\frac{1}{4}$	.81	1.25
9202	4 x 5	"B"	$3\frac{3}{4}$x$3\frac{3}{4}$	.91	1.40
For R.B.Series D and Super D GRAFLEX					
9201	$3\frac{1}{4}$x$4\frac{1}{4}$	"A"	$3\frac{1}{4}$x$3\frac{1}{4}$	.81	1.25
9202	4 x 5	"B"	$3\frac{3}{4}$x$3\frac{3}{4}$	.91	1.40
9217‡	4 x 5 (For 15" GRAFLEX Tele-Optar. . . f/5.6 lens)	"B"	$3\frac{3}{4}$x$3\frac{3}{4}$	2.47	3.80
9206	For 5x7 Home Portrait Graflex	"G"	5 x 5	1.56	2.40
For 4x5 GRAPHIC View Camera					
9231=	Blank		4 x 4	2.47	3.80
9234=	Recessed for 90mm W.A. Optar Lens. . .		4 x 4	2.47	3.80
For Speed GRAPHIC camera Models: Pre 1947					
9249	$2\frac{1}{4}$x$3\frac{1}{4}$ Miniature	"H"	$2\frac{1}{2}$x$2\frac{1}{2}$	.81	1.25
9212	$2\frac{1}{4}$x$3\frac{1}{4}$ Miniature (For 10" GRAFLEX Tele-Optar f/5.6 lens)	"H"	$2\frac{1}{2}$x$2\frac{1}{2}$	5.79	8.90
9201	$3\frac{1}{4}$x$4\frac{1}{4}$ (Made since 1935)	"A"	$3\frac{1}{4}$x$3\frac{1}{4}$	.81	1.25
9210‡	$3\frac{1}{4}$x$4\frac{1}{4}$ (For 15" GRAFLEX Tele-Optar f/5.6 lens)	"A"	$3\frac{1}{4}$x$3\frac{1}{4}$	6.79	10.45
9203	4x5 (Made since 1930)	"C"	4 x 4	.98	1.50
9203	5x7 (Made since 1933)	"C"	4 x 4	.98	1.50
9226‡	4x5 and 5x7 (For 15" GRAFLEX Tele-Optar f/5.6 lens)		4 x 4	2.47	3.80

‡ Metal Lensboard

Lensboards for Pacemaker Crown and Speed GRAPHICS "23", "34", "45" Listed on Page 51

SCHEDULE OF SERVICE CHARGES APPLICABLE TO DEALER—CUSTOMER-OWNED EQUIPMENT

Cameras and Additional Lenses

	Net Price	List Price
Condition 1. GRAFLEX-supplied camera and GRAFLEX-supplied additional lens.		
a) Supply proper lensboard	charge	
b) Fit GRAFLEX-supplied lens to lensboard, supply and fit focusing scales	$1.80	$2.40
c) Supply infinity stops—Anniversary-type—each	.54	.72
Pacemaker-type—each	.40	.55
d) Fitting infinity stops	no charge	
e) Viewfinder mask (except for W.A. lens) page 49	.20	.30
Condition 2. Customer's GRAFLEX-made camera sent in for fitting with GRAFLEX-supplied lens.		
a) Supply proper lensboard	charge	
b) Fit GRAFLEX-supplied lens to lensboard, supply and fit focusing scales	1.80	2.40
c) Supply infinity stops—Anniversary-type—each	.54	.72
Pacemaker-type—each	.40	.55
d) Fitting infinity stops	no charge	
e) Viewfinder mask (except for W.A. lens) page 49	.20	.30
Condition 3. GRAFLEX-supplied camera with customer's extra lens complete with flange or lock nut.		
a) Supply proper lensboard	charge	
b) *Supply and fit focusing scales regular, telephoto and wide angle	2.25	3.00
c) Fit additional lens to board:		
Cutting and fitting to wood board	1.05	1.40
Cutting and fitting to Pacemaker board	1.05	1.40
Cutting and fitting to heavy metal board	1.80	2.40
Fitting Ilex Acme Synchro Shutter, including insulation, to Pacemaker lensboard	1.05	1.40
Fitting to listed pre-cut Pacemaker Board	no charge	
d) *Supply infinity stops—Anniversary-type—each	.54	.72
Pacemaker-type—each	.40	.55
e) Fitting infinity stops	no charge	
f) Viewfinder mask (except for W.A. lens) page 49	.20	.30
Condition 4. Customer's GRAFLEX-made camera sent in with customer's lens complete with flange or lock nut.		
a) Supply proper lensboard	charge	
b) *Supply and fit focusing scales regular, telephoto and wide angle	2.25	3.00
c) Fitting customer's lens to board:		
Cutting and fitting to wood board	1.05	1.40
Cutting and fitting to Pacemaker board	1.05	1.40
Cutting and fitting to heavy metal board	1.80	2.40
Fitting Ilex Acme Synchro Shutter, including insulation, to Pacemaker lensboard	1.05	1.40
Fitting to listed pre-cut Pacemaker Board	no charge	
d) *Supply infinity stops—Anniversary-type—each	.54	.72
Pacemaker-type—each	.40	.55
e) Fitting infinity stops	no charge	
f) Viewfinder mask (except for W.A. lens) page 49	.20	.30
Re-synchronization of rangefinders in connection with above and where no change in cam is required	2.25	3.00

If a lens of different focal length is fitted and the camera is equipped with Hugo Meyer Rangefinder, the $3.00 figure will not apply as this change will necessitate servicing and adjusting by Hugo Meyer and Company.

*The Pacemaker GRAPHICs will accept multiple sets of focusing scales and infinity stops, depending upon the combination of the focal lengths of the lenses. Multiple sets of scales are not recommended for Pre-Pacemaker GRAPHIC Cameras.

For Charges Covering Cams for Graphic Rangefinder See Page 33

SCHEDULE OF SERVICE CHARGES APPLICABLE TO DEALER—CUSTOMER-OWNED EQUIPMENT

LENS EXCHANGE (when authorized)

Exchanging lenses when authorized in advance by GRAFLEX and where no special fittings are involved.

	Net Price	List Price
For supplying and installing new focusing scales and refocusing camera in connection with above exchange Lensboards in connection with above exchange: When boards as received are immediately usable as new and an identical board is required, an even exchange will be made. If the returned board is not immediately usable as new or is not in new stock condition, then it should be returned to the customer as his property and a new one supplied and billed at the established price therefore.	$2.25	$3.00
For re-mounting of solenoids and re-synchronizing:		
Where wood or Pacemaker Board is involved	1.50	2.00
Where heavy metal board is involved	2.25	3.00
For cutting and fitting lens to wood lensboard	1.05	1.40
For cutting and fitting to Pacemaker lensboard	1.05	1.40
For cutting and fitting to heavy metal lensboard	1.80	2.40
For fitting to Pacemaker listed pre-cut boards (cost of board additional)	no charge	
For re-synchronization of rangefinders in connection with exchange of lenses. If a lens of different focal length is fitted and the camera is equipped with Hugo Meyer Rangefinder, the $3.00 figure will not apply as this change will necessitate servicing and adjusting by Hugo Meyer and Co.	2.25	3.00
Drill and tap yokes and guides for scales on early model GRAPHIC Cameras	1.95	2.60

OTHER LENS, FOCUSING SCALE AND FITTING SERVICE CHARGES

Cat. No.			
9475	Cut Pacemaker or wood lensboard to accept customer's lens	1.05	1.40
9476	Cut Graphic View lensboard to accept customer's lens	1.80	2.40
9477	Supply and fit engraved focusing scale for customer's lens	2.25	3.00
9478	Supply engraved focusing scale for new Ektar or Optar lens being purchased from Graflex, but not fitted to a camera	1.50	2.00
9481	Supply and fit two infinity stops	.80	1.10
9479	Fit Graflex supplied additional lens to lensboard. Supply and fit focusing scales and fit infinity stops (stops cost additional)	1.80	2.40
9482	Adjustable body release arm for No. 1, 2 and 3 Graphex shutters on Graphic "45" (No. 1 shutter must be rotated on lensboard)	3.71	4.95
	Fitting GRAFLOK or GRAFLEX Backs to Anniversary and Pacemaker Models (2¼x3¼, 3¼x4¼ and 4x5)	1.05	1.40
	Fitting metal back frame to 4x5 Pre-Anniversary Models where original back was wood construction (4x4 lensboard models only) (Cost of back additional) applied to fitting GRAFLOK and GRAFLEX Backs.	3.30	4.40
	Resetting infinity stops and scales when required in connection with above	1.35	1.80
	Fitting Pacemaker Optical Viewfinder with clip to GRAPHIC Models (2¼x3¼, 3¼x4¼ and 4x5) (Finder cost additional)	1.35	1.80
	Fitting #2752 and #2553 encircling bracket to 3¼x4¼ and 4x5 Anniversary (Including new inserts) (Cost of bracket additional)	2.55	3.40
	Fitting #2754 Battery Case Mounting Plate to Kalart Rangefinder where finder plate is not drilled	1.05	1.40
	Fitting Brackets 2753, 2756, 2553, 2552, 2551 to camera either GRAPHIC or GRAFLEX and where no special fitting is involved (cost of bracket additional)	1.05	1.40
	SPECIAL PACEMAKER GRAPHIC "45" FOCAL PLANE SHUTTER installation to produce speeds of 1/1000, 1/750, 1/500, 1/375, 1/60, 1/30		
	Additional cost on new cameras in lots of 3, each	7.50	11.85
	Installation in customer's camera, each	15.90	21.20
	Special Conversion of Revolving Graflok Back from Graflex to Graflok, with viewing hood, on new or customers' 4x5 Revolving Back Super D Graflex Cameras. Accomplished only at a Graflex Service Dept.	34.09	45.45
	Revolving Graflok Back, with viewing hood, for 4x5 Graflex Cameras not sent to Graflex for Conversion	47.59	63.45

MISCELLANEOUS CHARGES

KODAK EKTALITE FIELD LENSES

Cat. No.	Ektalite Field Lenses installed by Graflex including refocusing as required.	Net Price	List Price
9404	Supply and install Ektalite Field Lens in 2¼x3¼ R.B. GRAFLEX Camera	$9.38	$12.50
9405	Supply and install Ektalite Field Lens in 3¼x4¼ R.B. GRAFLEX Camera	9.38	12.50
9406	Supply and install Ektalite Field Lens in 4 x5 R.B. GRAFLEX Camera	9.38	12.50
9407	Supply and install Ektalite Field Lens in 5 x7 R.B. GRAFLEX Camera	13.13	17.50
	The following 4 listings permit customer installation requiring refocusing of the ground glass at the top of the camera.		
9034	Ektalite Field Lens only for 2¼x3¼ R.B. GRAFLEX Camera	6.75	9.00
9035	Ektalite Field Lens only for 3¼x4¼ R.B. GRAFLEX Camera	7.20	9.60
9036	Ektalite Field Lens only for 4 x5 R.B. GRAFLEX Camera	7.20	9.60
9037	Ektalite Field Lens only for 5 x7 R.B. GRAFLEX Camera	10.31	13.75
	The following 4 listings cover factory conversions of Graflok Focusing Panels.		
9492	Service Charge to convert Graflok "23" focusing panel on new camera when ordered to include Ektalite Field Lens	3.15	4.85
9486	Conversion of customer's 2¼x3¼ Graflok Focusing Panel to include Ektalite Field Lens	4.50	6.00
9487	Conversion of customer's 3¼x4¼ Graflok Focusing Panel to include Ektalite Field Lens	4.69	6.25
9488	Conversion of customer's 4x5 Graflok Focusing Panel to include Ektalite Field Lens	4.88	6.50
	The following 3 listings require precision milling for installation of the field lens unless lens is supplied as replacement. (note that the field lens does not replace the ground glass, but is used with the existing ground glass.)		
9088	Ektalite Field Lens for 2¼x3¼ GRAFLOK Focusing Panels	2.36	3.15
9098	Ektalite Field Lens for 3¼x4¼ GRAFLOK Focusing Panels and GRAFLEX and GRAPHIC Focusing Panels of Pacemaker and GRAPHIC View II Cameras (3¼x4¼ backs)	2.36	3.15
9099	Ektalite Field Lens for 4x5 GRAFLOK Focusing Panels and GRAFLEX and GRAPHIC Focusing Panels of Pacemaker and Graphic View II Cameras (4x5 backs)	2.36	3.15

SUPPLIES FOR PACEMAKER GRAPHICS

9192	Blank focusing scales including index scale, mounting plates and screws	.82	1.10
9193	Engraved, unlined focusing scales for wide angle lens. Includes scales, index scales, plate and screws	.82	1.10
9194	Engraved, unlined focusing scale for 101-107mm lenses with index scale, plate and screws	.82	1.10
9195	Engraved, unlined focusing scale for 124-129mm lenses with index scale, mounting plate and screws	.82	1.10
9196	Engraved, unlined focusing scale for 125-152mm lenses with index scale, mounting plate and screws	.82	1.10
9197	Engraved, unlined focusing scale for 152mm-25cm lenses with index scale, mounting plate and screws	.82	1.10
9198	Engraved, unlined focusing scale for lenses over 25cm (10"), including index scale, mounting plate and screws	.82	1.10
9352	Metal Depth of Field Plate for 127mm lens	1.00	1.50
9353	Metal Depth of Field Plate for 135mm lens	1.00	1.50
9446	Screws and small replacement parts kit for Pacemaker Graphic "45"	8.95	11.95
9445	Part Kit A—Masks, infinity stops and focusing scales for Pacemaker Graphic Cameras	16.76	23.50
9444	Flexible framefinder with adjustable peepsight kit for pre-1955 production Pacemaker Graphic Cameras	5.63	7.50
	Installation of above at a Graflex Service Department	1.35	1.80

Graflarger Replacement Parts

	"23"	"34"	"45"	Net Price	List Price
Tube*	31956-P1	31957-P1	31958-P1	$ 9.00	$12.00
Base	31951-P1	31953-P1	31955-P1	1.88	2.50
Top	31950-P1	31952-P1	31954-P1	1.50	2.00

*Specify Vari-Grid (blue-green) or 35W (white).

OUR MANUFACTURING POLICY

To build *up* to GRAFLEX standards—not down to another's prices.

To adopt changes in order to improve—not just to be different.

To concentrate on precision-built products—not on quick-decision gadgets.

To maintain such manufacturing standards that we may continue pridefully to label GRAFLEX Products as "American-Made."

To make cameras and accessories on which we are proud to stamp our name, which our dealers are proud to sell, and which our customers are proud to own.

*

OUR ADVERTISING POLICY

To interest more people in "prize-winning pictures."

To publicize the name GRAFLEX consistently—not to shout it occasionally.

To obtain worthwhile prospects for our dealers—not just names and addresses.

To help develop these prospects into the kind of customers that are better than any advertisements ever printed.

GRAFLEX, INC.
ROCHESTER 8, NEW YORK, U. S. A.

PRINTED IN U. S. A.